

LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS



Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax 022 - 2201 9101

Mobile 91 - 9820486600 / 9029895008 Website www.chandanelectric.in

Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com

APPROVED BY :

POLICE, FIRE BRIGADES, GOVT. DEPTS, PUBLIC SECTOR UNDERTAKINGS, ORDNANCE FACTORIES, DEPTS. OF ATOMIC ENERGY, ONGC, MINES, RAILWAYS, MUNICIPALITIES, STATE ELECTRICITY BOARDS, STATE ROAD TRANSPORT CORPS., PORTS, DEFENCE, MILLS, ETC.



KHERAJ Sirens are widely used as a very effective announcer for Textile Mills, Factories, Workshops, Masjids, Banks, Ships, Milk Centres etc. Also used as Alarm in Fire Engines, Police Vans, Ambulances and Air Raid Signals during war.

SIRENS

PRICES EFFECTIVE FROM 27-01-2021

	A. ELECTRICALLY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.
 HORIZONTAL SINGLE MOUNTING SIREN	(i) Horizontal OR Vertical Single Mounting Siren	0.10	1/80	SS-010	6,880/-
	Single Phase	0.20	1/40	SS-020	7,980/-
	220/250 V	0.50	1/20	SS-050	8,580/-
	6000 RPM	1.00	1/10	SS-100	8,990/-
	50Hz, AC	1.50	1/4	SS-150	13,340/-
		2.00	1/4	SS-200	13,770/-
 HORIZONTAL DOUBLE MOUNTING SIREN	(ii) Horizontal Double Mounting Siren	0.20	1/40	DS-020	9,570/-
	Single Phase	0.50	1/20	DS-050	9,910/-
	220/250 V	1.00	1/10	DS-100	11,440/-
	6000 RPM	1.50	1/4	DS-150	13,390/-
	50Hz, AC	3.25	1/2	DS-325	15,960/-
	(Vertical)	3.25	1/2	VDS-325	17,230/-
 VERTICAL SINGLE MOUNTING SIREN	(iii) Vertical Single Mounting Siren	0.20	1/8	VST-020	29,200/-
	Three Phase	0.50	1/4	VST-050	31,220/-
	400/440 V	1.00	1/2	VST-100	34,200/-
	2800 RPM	1.50	1	VST-150	35,360/-
	50Hz, AC	3.25	2	VST-325	42,170/-
		5.00	3	VST-500	50,660/-
		8.00	5	VST-800	64,920/-



KHERAJ SIRENS
LOUD & CLEAR

SIREN RANGE IS ALWAYS DIAMETRICAL
OVER SIX DECADES OF SERVICE

SIRENS



HORIZONTAL
DOUBLE MOUNTING SIREN



HORIZONTAL SINGLE
MOUNTING PURE AC SIREN



HORIZONTAL DOUBLE
MOUNTING PURE AC SIREN



HORIZONTAL SINGLE
MOUNTING FLAME PROOF SIREN



HORIZONTAL DOUBLE
MOUNTING FLAME PROOF SIREN

A. ELECTRICALLY OPERATED SIRENS		AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.
(iv)	Horizontal	0.20	1/8	HDT-020	44,950/-
	Double Mounting Siren	0.50	1/4	HDT-050	47,990/-
	Three Phase	1.00	1/2	HDT-100	52,470/-
	400/440 V	1.50	1	HDT-150	53,000/-
	2800 RPM	3.25	2	HDT-325	57,640/-
	50Hz, AC	5.00	3	HDT-500	73,590/-
		8.00	5	HDT-800	93,690/-
		11.00	7.5	HDT-1100	1,94,150/-
		16.00	10	HDT-1600	2,27,360/-
(v)	Horizontal	0.20	1/8	HST-020	29,760/-
	Single Mounting Siren	0.50	1/4	HST-050	34,260/-
	Three Phase	1.00	1/2	HST-100	34,910/-
	400/440 V	1.50	1	HST-150	36,110/-
	2800 RPM	3.25	2	HST-325	39,150/-
	50Hz, AC				
B. PURE AC SIRENS (CARBON BRUSHLESS)					
(i)	Horizontal	1.00	1/2	PS-100	30,210/-
	Single Mounting Siren	1.50	1/2	PS-150	33,860/-
	Single Phase	3.25	1	PS-325	43,390/-
	220/250 V	5.00	1	PS-500	55,190/-
	2800 RPM				
(ii)	Horizontal	1.00	1/2	PD-100	34,020/-
	Double Mounting Siren	1.50	1/2	PD-150	38,180/-
	Single Phase	3.25	1	PD-325	46,840/-
	220/250 V	5.00	1	PD-500	71,130/-
	2800 RPM	8.00	3	PD-800	92,670/-
(iii)	Horizontal	0.50	1/4	FS-050	76,950/-
	Single Mounting Siren	1.00	1/2	FS-100	83,650/-
	Three Phase	1.50	1	FS-150	92,430/-
	400/440 V	3.25	2	FS-325	1,10,180/-
	2800 RPM 50Hz, AC				
(ii)	Horizontal	0.50	1/4	FSS-050	80,400/-
	Single Phase Siren	1.00	1/2	FSS-100	87,100/-
	220/250 V	1.50	1	FSS-150	97,030/-
	2800 RPM	2.00	1	FSS-200	1,02,240/-
	50 Hz, AC				
(iii)	Horizontal	0.50	1/4	FD-050	83,090/-
	Double Mounting Siren	1.00	1/2	FD-100	88,610/-
	Three Phase	1.50	1	FD-150	1,02,630/-
	400/440 V	3.25	2	FD-325	1,15,140/-
	2800 RPM	5.00	3	FD-500	1,46,230/-
	50Hz, AC	8.00	5	FD-800	1,82,160/-
		11.50	7.5	FD-1150	2,25,880/-
		16.00	10	FD-1600	2,74,460/-
(iv)	Horizontal				
	Double Mounting Siren	0.50	1/4	FDD-050	87,690/-
	Single Phase	1.00	1/2	FDD-100	93,210/-
	220/250 V	1.50	1	FDD-150	1,07,230/-
	2800 RPM	2.00	1	FDD-200	1,11,830/-
	50Hz, AC				

SIRENS

 BATTERY OPERATED SIREN  FLOOR MOUNTING SIREN  WALL MOUNTING SIREN  ELECTRONIC SIREN  PA SYSTEM  WARBLING RELAY  ADVANCED SIREN CONTROLLER	<table><tr><th>D. BATTERY OPERATED SIRENS</th><th>AUDIBLE RANGE IN KMS.</th><th>H.P.</th><th>MODEL</th><th>PRICE RS.</th></tr><tr><td>Horizontal Single Mounting</td><td>1.00</td><td>1/10</td><td>B-100</td><td>8,240/-</td></tr><tr><td>6000 RPM DC</td><td>1.50</td><td>1/4</td><td>B-150</td><td>10,630/-</td></tr><tr><td>Available volts (12, 24)</td><td></td><td></td><td></td><td></td></tr><tr><td>Horizontal Double Mounting</td><td>3.25</td><td>1/2</td><td>BD-325</td><td>15,390/-</td></tr><tr><td>6000 RPM DC</td><td></td><td></td><td></td><td></td></tr><tr><td>Available volts (12, 24)</td><td></td><td></td><td></td><td></td></tr></table> <table><tr><th colspan="5">E. HAND OPERATED SIRENS</th></tr><tr><td>(i) Wall Mounting</td><td>0.50</td><td></td><td>HW-050</td><td>7,030/-</td></tr><tr><td>(ii) Wall Mounting</td><td>1.00</td><td></td><td>HW-100</td><td>8,030/-</td></tr><tr><td>(iv) Floor Mounting</td><td>1.50</td><td></td><td>HF-150</td><td>20,850/-</td></tr></table> <table><tr><th colspan="5">F. ELECTRONIC SIREN</th></tr><tr><td>SINGLE TONE SIREN</td><td>0.50</td><td></td><td>ES-050</td><td>9,420/-</td></tr><tr><td>6/12/24/48/110/220 Volts</td><td>1.00</td><td></td><td>ES-100</td><td>10,750/-</td></tr><tr><td>AC and/or DC</td><td>1.50</td><td></td><td>ES-150</td><td>11,920/-</td></tr><tr><td></td><td>3.50</td><td></td><td>ES-350</td><td>16,520/-</td></tr><tr><td>DOUBLE TONE SIREN</td><td>0.50</td><td></td><td>ESDT-050</td><td>11,570/-</td></tr><tr><td></td><td>1.00</td><td></td><td>ESDT-100</td><td>12,420/-</td></tr><tr><td></td><td>1.50</td><td></td><td>ESDT-150</td><td>13,620/-</td></tr><tr><td></td><td>3.50</td><td></td><td>ESDT-350</td><td>18,190/-</td></tr><tr><td>TRIPLE TONE SIREN</td><td>0.50</td><td></td><td>ESTT-050</td><td>13,280/-</td></tr><tr><td></td><td>1.00</td><td></td><td>ESTT-100</td><td>14,110/-</td></tr><tr><td></td><td>1.50</td><td></td><td>ESTT-150</td><td>15,300/-</td></tr><tr><td></td><td>3.50</td><td></td><td>ESTT-350</td><td>20,260/-</td></tr><tr><td>SIREN FOR AMBULANCE</td><td>0.25</td><td></td><td>AMB-025</td><td>6,270/-</td></tr><tr><td>VEHICLES 12V/24V DC ONLY</td><td>0.50</td><td></td><td>AMB-050</td><td>7,960/-</td></tr><tr><td>Also available in 110V & 220V AC</td><td>1.00</td><td></td><td>AMB-100</td><td>12,540/-</td></tr><tr><td>DOUBLE TONE PA SYSTEM</td><td></td><td></td><td></td><td></td></tr><tr><td>FOR VEHICLES 12V/24V AC ONLY</td><td>1.00</td><td></td><td>DAMB-100</td><td>14,940/-</td></tr><tr><td>Also available in 110V & 220V AC</td><td></td><td></td><td></td><td></td></tr></table> <table><tr><th colspan="5">G. WARBLING RELAY (SWITCH) VOLTS</th></tr><tr><td>(Howling Tones for Sirens)</td><td>12</td><td></td><td>WRB</td><td>12,500/-</td></tr><tr><td>4 Sec ON & 4 Sec OFF</td><td>250</td><td></td><td>WRS</td><td>12,500/-</td></tr><tr><td>Automatically</td><td>440</td><td></td><td>WRT</td><td>12,500/-</td></tr></table> <table><tr><th colspan="5">H. ADVANCED SIREN CONTROLLER</th></tr><tr><td>Single Phase 220/250V AC 50Hz</td><td></td><td></td><td>KEI-ASC-S</td><td>83,140/-</td></tr><tr><td>Three Phase 400/440V AC 50Hz</td><td></td><td></td><td>KEI-ASC-T</td><td>90,350/-</td></tr><tr><td colspan="5">FEATURES :</td></tr><tr><td colspan="5">1. Normal Factory Siren</td></tr><tr><td colspan="5">2. Fire Alarm Siren</td></tr><tr><td colspan="5">3. On-Site Heavy Chlorine Leak Emergency</td></tr><tr><td colspan="5">4. Off-Site Heavy Chlorine Leak Emergency</td></tr><tr><td colspan="5">5. All Alarm Conditions Clear Siren</td></tr><tr><td colspan="5">(Also available in other modes made to order.)</td></tr></table>	D. BATTERY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.	Horizontal Single Mounting	1.00	1/10	B-100	8,240/-	6000 RPM DC	1.50	1/4	B-150	10,630/-	Available volts (12, 24)					Horizontal Double Mounting	3.25	1/2	BD-325	15,390/-	6000 RPM DC					Available volts (12, 24)					E. HAND OPERATED SIRENS					(i) Wall Mounting	0.50		HW-050	7,030/-	(ii) Wall Mounting	1.00		HW-100	8,030/-	(iv) Floor Mounting	1.50		HF-150	20,850/-	F. ELECTRONIC SIREN					SINGLE TONE SIREN	0.50		ES-050	9,420/-	6/12/24/48/110/220 Volts	1.00		ES-100	10,750/-	AC and/or DC	1.50		ES-150	11,920/-		3.50		ES-350	16,520/-	DOUBLE TONE SIREN	0.50		ESDT-050	11,570/-		1.00		ESDT-100	12,420/-		1.50		ESDT-150	13,620/-		3.50		ESDT-350	18,190/-	TRIPLE TONE SIREN	0.50		ESTT-050	13,280/-		1.00		ESTT-100	14,110/-		1.50		ESTT-150	15,300/-		3.50		ESTT-350	20,260/-	SIREN FOR AMBULANCE	0.25		AMB-025	6,270/-	VEHICLES 12V/24V DC ONLY	0.50		AMB-050	7,960/-	Also available in 110V & 220V AC	1.00		AMB-100	12,540/-	DOUBLE TONE PA SYSTEM					FOR VEHICLES 12V/24V AC ONLY	1.00		DAMB-100	14,940/-	Also available in 110V & 220V AC					G. WARBLING RELAY (SWITCH) VOLTS					(Howling Tones for Sirens)	12		WRB	12,500/-	4 Sec ON & 4 Sec OFF	250		WRS	12,500/-	Automatically	440		WRT	12,500/-	H. ADVANCED SIREN CONTROLLER					Single Phase 220/250V AC 50Hz			KEI-ASC-S	83,140/-	Three Phase 400/440V AC 50Hz			KEI-ASC-T	90,350/-	FEATURES :					1. Normal Factory Siren					2. Fire Alarm Siren					3. On-Site Heavy Chlorine Leak Emergency					4. Off-Site Heavy Chlorine Leak Emergency					5. All Alarm Conditions Clear Siren					(Also available in other modes made to order.)				
D. BATTERY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.																																																																																																																																																																																																																									
Horizontal Single Mounting	1.00	1/10	B-100	8,240/-																																																																																																																																																																																																																									
6000 RPM DC	1.50	1/4	B-150	10,630/-																																																																																																																																																																																																																									
Available volts (12, 24)																																																																																																																																																																																																																													
Horizontal Double Mounting	3.25	1/2	BD-325	15,390/-																																																																																																																																																																																																																									
6000 RPM DC																																																																																																																																																																																																																													
Available volts (12, 24)																																																																																																																																																																																																																													
E. HAND OPERATED SIRENS																																																																																																																																																																																																																													
(i) Wall Mounting	0.50		HW-050	7,030/-																																																																																																																																																																																																																									
(ii) Wall Mounting	1.00		HW-100	8,030/-																																																																																																																																																																																																																									
(iv) Floor Mounting	1.50		HF-150	20,850/-																																																																																																																																																																																																																									
F. ELECTRONIC SIREN																																																																																																																																																																																																																													
SINGLE TONE SIREN	0.50		ES-050	9,420/-																																																																																																																																																																																																																									
6/12/24/48/110/220 Volts	1.00		ES-100	10,750/-																																																																																																																																																																																																																									
AC and/or DC	1.50		ES-150	11,920/-																																																																																																																																																																																																																									
	3.50		ES-350	16,520/-																																																																																																																																																																																																																									
DOUBLE TONE SIREN	0.50		ESDT-050	11,570/-																																																																																																																																																																																																																									
	1.00		ESDT-100	12,420/-																																																																																																																																																																																																																									
	1.50		ESDT-150	13,620/-																																																																																																																																																																																																																									
	3.50		ESDT-350	18,190/-																																																																																																																																																																																																																									
TRIPLE TONE SIREN	0.50		ESTT-050	13,280/-																																																																																																																																																																																																																									
	1.00		ESTT-100	14,110/-																																																																																																																																																																																																																									
	1.50		ESTT-150	15,300/-																																																																																																																																																																																																																									
	3.50		ESTT-350	20,260/-																																																																																																																																																																																																																									
SIREN FOR AMBULANCE	0.25		AMB-025	6,270/-																																																																																																																																																																																																																									
VEHICLES 12V/24V DC ONLY	0.50		AMB-050	7,960/-																																																																																																																																																																																																																									
Also available in 110V & 220V AC	1.00		AMB-100	12,540/-																																																																																																																																																																																																																									
DOUBLE TONE PA SYSTEM																																																																																																																																																																																																																													
FOR VEHICLES 12V/24V AC ONLY	1.00		DAMB-100	14,940/-																																																																																																																																																																																																																									
Also available in 110V & 220V AC																																																																																																																																																																																																																													
G. WARBLING RELAY (SWITCH) VOLTS																																																																																																																																																																																																																													
(Howling Tones for Sirens)	12		WRB	12,500/-																																																																																																																																																																																																																									
4 Sec ON & 4 Sec OFF	250		WRS	12,500/-																																																																																																																																																																																																																									
Automatically	440		WRT	12,500/-																																																																																																																																																																																																																									
H. ADVANCED SIREN CONTROLLER																																																																																																																																																																																																																													
Single Phase 220/250V AC 50Hz			KEI-ASC-S	83,140/-																																																																																																																																																																																																																									
Three Phase 400/440V AC 50Hz			KEI-ASC-T	90,350/-																																																																																																																																																																																																																									
FEATURES :																																																																																																																																																																																																																													
1. Normal Factory Siren																																																																																																																																																																																																																													
2. Fire Alarm Siren																																																																																																																																																																																																																													
3. On-Site Heavy Chlorine Leak Emergency																																																																																																																																																																																																																													
4. Off-Site Heavy Chlorine Leak Emergency																																																																																																																																																																																																																													
5. All Alarm Conditions Clear Siren																																																																																																																																																																																																																													
(Also available in other modes made to order.)																																																																																																																																																																																																																													

GONG BELLS ★ HOOTERS ★ BUZZERS



DOUBLE
GONG BELL

GONG BELL



ALARM BELL (ROUND)



PANEL HOOTER



SPEAKER HOOTER



DC HOOTER



FLUSH TYPE
HOOTER



96X96 HOOTER



BUZZER

A. GONG BELLS	SIZE	MODEL	PRICE RS.
Single Phase 220/250V	7 Cms (3")	GB-07	1,180/-
Also: 6/12/24/32/48/110V	10 Cms (4")	GB-10	1,620/-
AC and/or DC	15 Cms (6")	GB-15	1,940/-
	22 Cms (9")	GB-22	2,520/-
	30 Cms (12")	GB-30	2,890/-
(Double)	15 Cms (6")	DGB-15	2,390/-

B. ALARM BELLS (ROUND)

Single Phase 220/250V	5 Cms (2")	RAB-05	580/-
AC 50Hz	7 Cms (3")	RAB-07	970/-
	10 Cms (4")	RAB-10	1,320/-
	15 Cms (6")	RAB-15	1,570/-
	20 Cms (8")	RAB-20	2,080/-
	25 Cms (10")	RAB-25	2,260/-
	30 Cms (12")	RAB-30	2,340/-

C. HOOTERS

(i) Panel Hooters	7 Cms (3")	PH-07	940/-
Single Phase AC 220/250V	10 Cms (4")	PH-10	1,410/-
Also: 6/12/24/32/48/110V	15 Cms (6")	PH-15	1,550/-
(ii) Speaker Hooters			
Single Phase AC 220/250V	10 Cms (4")	SH-10	1,410/-
Also: 6/12/24/32/48/110V	20 Cms (8")	SH-20	2,750/-
(iii) Industrial Hooters (DC Only)			
6/12/24/48/110/220V		IH-DC	2,480/-
(iv) Flush Type Hooters			
Single Phase AC 220/250V	10 Cms	FH-10	1,350/-
Also: 6/12/24/32/48/110V	13 Cms	FH-13	1,500/-

D. 96 X 96 ELECTRONIC HOOTER

Hooters Working On Single Phase AC 220/250 V
Also: 6/12/24/48/110 V AC and / or DC

HOOTER	96 mm X 96 mm	H-96X96	2,100/-
PEIZO	96 mm X 96 mm	PH-96X96	2,100/-
PEIZO With LED	96 mm X 96 mm	PL-96X96	3,490/-
HOOTER (multi tone)	96 mm X 96 mm	HMT-96X96	4,410/-
PEIZO With LED (multi tone)	96 mm X 96 mm	PLMT-96X96	7,180/-

E. BUZZERS

Single Phase 220/250V	10 Cms (4")	BZ-10	1,200/-
Also: 6/12/24/48/110V	15 Cms (6")	BZ-15	1,410/-
AC and / or DC			



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

★ PORTABLE RECHARGEABLE SIREN ★



PORTABLE RECHARGEABLE SIREN

Introduces

Portable Rechargeable Siren

Introduces yet another master piece in the field of Safety & Security. Portable Rechargeable Siren is carefully designed to suit every emergency situation in today's life. Follow us to know more about the Product.

Features

- Type** : Portable, Hand Held
- Enclosure** : HD ABS body
- Speaker** : Piezo water proof Multiple Tone
- Tone** : Multiple Tone
- (To Indicate Various Emergency Situation along with All Clear)
- Audibility** : 106 db @ 1 meter distance.
- Battery** : Sealed Dry Rechargeable
- Volt** : 12 V Dc
- Ampere** : 7 Ampere per hour
- Battery Charger** : SMPS Charger, Input Voltage Range.: 90 V Ac to 265 V Ac.
- Weight** : With Battery 3.380 kgs
Without Battery: 980 gms

INDICATORS

DC FUSE BLOW N
BATTERY CHARGING
LOW BATTERY
FULL CHARGE
TONE SELECTION SWITCH

APPLICATION :

Police Patrolling Force, Security Guards at Residential Complex, Railways for Disaster Management, Border Security force, Defense, All other areas for Safety & Security Annunciation.

PRICE Rs : 8,900/-



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

★ **DRAGON SEARCH LIGHT** ★



DRAGON SEARCH LIGHT

Salient Features

Operating Range of about 1000 meters. (i.e...1km Approx.)

Technically Designed Deep Parabolic Reflector for long throw

Reliable Micro Controller based design.

Brilliant 55 Watt halogen beam

Selectable Continuous, timer and flasher functions.

Approx. 70 minutes (+ 10%) of constant use at Full Load at full Charge.

Rugged & weather resistant moulded Super Tough poly carbonate

Body minimum 2 mm thickness housing .

Easy - to- carry with moulded handle and shoulder strap.

Uses internal 12V /7Ah sealed lead - acid Dry - Rechargeable Battery .

Internal built in SMPS battery charger for 90 to 270 Volt operation

low battery warning indicates exhausted battery.

Automatic low - voltage cut - off prevents deep discharge

High Reliability Mosfet Switching for smooth transitions

Typical User. paramilitary Forces, Defence forces, police, Airports, Ports,
Security agencies, Industries fire fighting Vital priority installations,
Optionally available with panic Siren, Remote Switch Facility

SWITCH SELECTION

System On./Off

Mode selection

* Flasher

Increment / Decrement

*Dimmer

Increment / Decrement

INDICATORS

SYSTEM ON : CONTINUOUS GREEN MODE

TIMER : RED

CONTINUOUS : GREEN

BATTERY LEVEL STATUS

OK : GREEN

LOW : RED

ADVANCE LOW : AMBER

BATTERY FULL : BLUE

CHARGE : RED


DC FUSE BROWN : AMBER

PRICE Rs : 8,500/-

AUDIO VISUAL ALARMS



SIREN WITH FLASHER LIGHT



AUDIO VISUAL ALARM



AVIATION OBSTRUCTION LIGHT



TELEPHONE LOUD RINGER

B. AUDIO VISUAL ALARM WITH REVOLVING / FLASHER LIGHTS

	TYPE	MODEL	PRICE RS.
110/220V AC	SIREN WITH FLASHER LED LIGHT	SS-100 FLED	16,930/-
110/220V AC	SIREN WITH REVOLVING LED LIGHT	SS-100 RLED	16,930/-
6/12/24/48/110/220 V AC and/DC	REVOLVING	R-AVA	7,960/-
	FLASHER	F-AVA	7,480/-
	FLASHER LED TYPE	FLED-AVA	8,950/-

C. AVIATION OBSTRUCTION LIGHT TYPE

Working on single phase AC 220/250V

Color:Red/Green/Amber

i). Standard Type	Bulb LED	AVIN AVIL	4,820/- 7,480/-
ii). Light Duty Type	LED	AVIL-LD	10,870/-
iii). Heavy Duty / IP65 (Single Light)	Bulb LED	AVIN-HD-S AVIL-HD-S	18,080/- 22,130/-
iv). Heavy Duty / IP65 (Double Light)	Bulb LED	AVIN-HD-D AVIL-HD-D	20,260/- 26,990/-
v). Photo cell switch for the above Lights		PTCL	1,720/-

E. TELEPHONE LOUD RINGER

External Interface for Telephone Loud Ringing Working on Telephone Working Voltage with Potential Free Contact.	TLR-6A	3,620/-
---	--------	---------

EMERGENCY LIGHTS & REVOLVING /FLASHER LIGHTS



EMERGENCY
LIGHT BULB LED MODEL



1 FT. EMERGENCY LIGHT
SINGLE TUBE / LED



2 FT. EMERGENCY LIGHT
DOUBLE TUBE / LED



2 FT. EMERGENCY LIGHT
SINGLE TUBE / LED



MAINTENANCE FREE
DRY BATTERY



REVOLVING
LIGHT



FLASHER LIGHT
WITH LED

A. LED / BULB MODEL EMERGENCY LIGHTS

	MODEL	PRICE RS.
(i) With Battery	ELBB (LED)	3,560/-
(ii) Without Battery	ELB (LED)	2,660/-
(iii) With Battery	ELBB (BULB)	3,140/-
(iv) Without Battery	ELB (BULB)	2,240/-
(v) Extension Lamp	ELX	680/-
MINI BULB MODEL		
(i) With Battery	ELMB	2,890/-
(ii) Without Battery	ELM	1,990/-

B. FLUORESCENT EMERGENCY LIGHTS

(a) 1 Ft. Single Tube		
(i) With Battery	ELTB-1	4,470/-
(ii) Without Battery	ELT-1	3,570/-
1 Ft. Single LED Tube		
(i) With Battery (LED)	ELTB-1 (LED)	5,770/-
(ii) Without Battery (LED)	ELT-1 (LED)	4,870/-
(b) 2 Ft. Single Tube		
(i) With Battery	ELTB-2	4,820/-
(ii) Without Battery	ELT-2	3,920/-
2 Ft. Single LED Tube		
(i) With Battery (LED)	ELTB-2 (LED)	6,220/-
(ii) Without Battery (LED)	ELT-2 (LED)	5,320/-
(c) 2 Ft. Double Tube		
(i) With Battery	ELTB-22	5,350/-
(ii) Without Battery	ELT-22	4,450/-
2 Ft. Double LED Tube		
(i) With Battery	ELTB-22 (LED)	7,350/-
(ii) Without Battery	ELT-22 (LED)	6,450/-

D. MAINTENANCE FREE DRY BATTERY

6V, 10 AH.	MFDB (6V)	900/-
Size: 115mm(L) x 50mm(W) x 120mm(H)		
12V, 4.5 AH.	MFDB (12V)	1,200/-
Size: 90mm(L) x 70mm(W) x 100mm(H)		

A. REVOLVING / FLASHER LIGHTS

	VOLTS		
COLOR: RED/AMBER/BLUE/GREEN	12	RL-12/FL-12	3,260/-
Bulb Type	24	RL-24/FL-24	3,260/-
RL - Revolving Light	110	RL-110/FL-110	3,260/-
FL - Flasher Light	220	RL-220/FL-220	3,260/-
COLOR: RED/AMBER/BLUE/GREEN	12	FLED-12	6,940/-
LED Type	24	FLED-24	6,940/-
FLED - Flasher Light With LED	110	FLED-110	6,940/-
(Fixed type Light also available)	220	FLED-220	6,940/-

BLOWERS



PORTABLE BLOWER



VARIABLE SPEED
PORTABLE BLOWER



CENTRIFUGAL BLOWER



CENTRIFUGAL EXHAUST
BLOWER

A. PORTABLE BLOWERS

MODEL

PRICE RS.

(With Bag Assembly)
(Plastic Body)

i) Rated Input Power 600 W
Capacity 600 mm²
No Load Speed 13000 rpm
Voltage & Frequency 220V-50Hz

KPB 20

3,960/-

ii) Blowing Rate 0-3.8 m³/min
Voltage & Frequency 220V-50Hz
Rate Input Power 550 W
No Load Supply 0-16000 rpm

KPB 20 II

5,200/-

(Variable Speed)

B. CENTRIFUGAL BLOWER RPM :2800

VOLTAGE

C.F.M.

W.G.P.

H.P.

PRICE RS.

K-101	220 OR 440	350	4"	0.50	13,200/-
K-102	220 OR 440	310	6"	0.50	13,200/-
K-103	220 OR 440	210	8"	0.50	13,960/-
K-104	220 OR 440	350	6"	1.00	20,120/-
K-105	220 OR 440	280	12"	1.00	22,120/-
K-106	220 OR 440	570	12"	2.00	26,740/-
K-107	220 OR 440	390	16"	2.00	30,370/-
K-108	440	850	12"	3.00	33,460/-
K-109	440	600	16"	3.00	38,390/-
K-110	440	380	24"	3.00	39,330/-
K-111	440	1400	12"	5.00	43,750/-
K-112	440	910	16"	5.00	50,240/-
K-113	440	585	26"	5.00	50,240/-
K-114	440	2010	12"	7.50	51,450/-
K-115	440	1410	16"	7.50	58,800/-
K-116	440	490	30"	7.50	58,800/-
K-117	440	2825	12"	10.00	63,890/-
K-118	440	2010	16"	10.00	73,360/-
K-119	440	910	32"	10.00	73,360/-

C. CENTRIFUGAL EXHAUST BLOWER

MODEL	PRESSURE IN WATER GAUGE W.G.P. Inches/mm (Approx)			CAPACITY PER MINUTE C. Feet/C.Meter (Approx)			POWER OF 1440 / 2880 (Nominal) R.P.M. MOTOR			PRICE OF BLOWER 220 V AC ELECTRIC MOTOR		PRICE OF BLOWER 440 V AC ELECTRIC MOTOR	
	1440	2880		1440	2880		H P /WK			1660	3310	1660	3310
K-50	1	2	51	1000	800	24	0.5	.37		29,240/-	25,430/-	26,530/-	23,070/-
K-100	2	4	102	1600	1000	28	1	.75		37,690/-	32,760/-	33,440/-	29,070/-
K-200	2.5	6	152	2600	1400	46	2	1.5		48,350/-	41,930/-	44,410/-	39,740/-
K-300	3	8	203	3200	1600	45	3	2.2				56,440/-	49,100/-
K-500	4	12	305	4000	2000	56	5	3.7				73,160/-	60,760/-
K-750	5	14	356	4800	3000	81	7.5	5.5				93,050/-	80,940/-
K-1000	5	16	405	6400	4000	112	10	7.5				1,16,360/-	1,01,190/-
K-1500	6.5	20	508	7400	4000	112	15	11				1,83,390/-	1,59,490/-
K-2000	7	30	762	9150	6000	168	20	15				2,13,350/-	1,85,150/-

ANY TYPE OF BLOWER / EXHAUSTER / BELT-DRIVE / COUPLE DRIVE MADE TO ORDER



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

SPARES

SIRENS Single Phase 220/250 V 6000 RPM 50 C/s AC and or DC		ELECTRICALLY OPERATED SIRENS		AUDIBLE RANGE IN KMS. (PRICE RS.)					
				0.10	0.20	0.50	1.00	1.50	2.00
i) Horizontal Single Mounting	i) Armature ii) Field Coil iii) Carbon Holder with Cap (Pair) iv) Carbon Brush (Pair)			1,850/-	1,850/-	1,850/-	1,850/-	3,660/-	3,660/-
				1,530/-	1,530/-	1,530/-	1,530/-	2,740/-	2,740/-
				220/-	220/-	220/-	220/-	230/-	230/-
				180/-	180/-	180/-	180/-	180/-	180/-
ii) Horizontal Double Mounting	i) Armature ii) Field Coil iii) Carbon Holder with Cap (Pair) iv) Carbon Brush (Pair)			0.20	0.50	1.00	1.50	3.25	
				3,370/-	3,370/-	3,370/-	4,200/-	4,480/-	
				1,850/-	1,850/-	1,850/-	2,380/-	2,740/-	
				220/-	220/-	220/-	230/-	300/-	
				180/-	180/-	180/-	220/-	240/-	
Horizontal 6000 RPM DC (in 12, 24 Volts)	BATTERY OPERATED SIRENS			AUDIBLE RANGE IN KMS. (PRICE RS.)					
						1.00	1.50	3.25	
	i) Armature ii) Field Coil iii) Carbon Holder with Cap (Pair) iv) Carbon Brush (Pair)			1.00 & 1.50 (Single Mounting)		2,450/-	4,480/-	4,480/-	
				3.25		1,890/-	2,890/-	3,290/-	
				Double Mounting		240/-	300/-	300/-	
	HAND OPERATED SIRENS			AUDIBLE RANGE IN KMS. (PRICE RS.)					
				0.50		1.00		1.50	
i) Wall Mounting ii) Floor Mounting	Gear Set			2,600/-		3,540/-		5,230/-	
GONG BELLS		GB-10	GB-15/DGB-15	GB-22		GB-30			
i) Coil ii) Hammer iii) Gong	470/- 320/- 300/-	590/- 410/- 410/-	720/- 560/- 410/-		940/- 630/- 690/-				
HOOTERS		PH-7	PH-10 & SH-10	PH-15		SH-20			
i) Coil ii) Diaphragm	350/- 140/-	510/- 230/-	660/- 240/-		730/- 280/-				
BUZZERS		BZ-10			BZ-15				
i) Coil ii) Hammer	440/- 300/-			540/- 300/-					
BULB MODEL EMERGENCY LIGHTS		PRICE RS.	2 FT. FLUORESCENT EMERGENCY LIGHTS					PRICE RS.	
i) Transformer ii) Relay iii) Socket for Relay iv) Glass only for the Lamp v) 6 Volts 18 Watt Bulb	690/- 590/- 140/- 180/- 140/-	i) Complete circuit for emergency light ii) Transformers (2 nos.) iii) Relay					4,170/- 1,310/- 560/-		

TERMS & CONDITION :

- Prices are Ex-godown Mumbai. Packing & Forwarding Charges will be extra.
- GST will be charged extra as applicable at the time of supply.
- Orders must be accompanied with an advance of 25% of the value.
- Payment against delivery/through Bank. (Bank charges to respective accounts)
- Guarantee :
 - Fixtures carry a guarantee of 12 months from the date of supply,
 - Batteries carry a guarantee of 6 months from the date of supply,
 - Bulbs / Tubes (in Emergency Lights) carry no guarantee.
- This price list supersedes all our previous price lists / prices are subjected to change without notice.
- Subject to Mumbai Jurisdiction only.
- Export prices available on request.

Registered Small Scale Industry

Govt. of Maharashtra Regn. No. 11-07-16490-PMT-SSI Dt. 29.9.1979.
National Small Ind. Corpn. Ltd, Regn. No. NSIC-GPB-RS-K-137 Dt. 24-12-1990.