

COND. AREA SQ. MM.	COND. CONST. (NO./DIA.MM.)	AMP	1 CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE				
0.50	16/0.20	05	14.50	36.95	50.70	64.80	83.20	99.35	112.00	131.00	163.00	191.00	219.00	250.00	289.00	365.00				
0.75	24/0.20	08	20.35	49.50	68.70	88.25	118.00	142.00	158.00	185.00	232.00	270.00	317.00	357.00	422.00	527.00				
1.00	32/0.20	13	25.90	62.85	87.50	113.00	151.50	182.50	206.00	237.00	294.00	350.00	407.00	463.00	544.00	682.00				
1.50	30/0.25	17	37.30	85.50	122.75	159.00	207.00	252.00	284.00	324.00	413.00	486.00	575.00	663.00	770.00	986.00				
2.50	50/0.25	24	61.35	141.00	194.00	262.00	336.00	407.00	467.00	549.00	674.00	810.00	941.00	1075.00	1245.00	1613.00				
4.00	56/0.30	30	94.20	207.00	298.00	396.00	533.00	639.00	770.00	----	-----	-----	-----	-----	-----	-----				
6.00	84/0.30	38	141.00	305.00	439.00	583.00	786.00	943.00	-----	-----	-----	-----	-----	-----	-----	-----				
10.00	80/0.40	52	247.00	521.00	766.00	1011.00	1355.00	POLYCAB INDUSTRIAL FLEXIBLE (FRLS) INSULATED CABLE												
16.00	126/0.4	70	391.00	823.00	1203.00	1589.00	2081.00										SIZE SQMM	SINGLE CORE	Size sqmm	Cond No. /dia mm)
25.00	196/0.4	88	613.00	1378.00	2005.00	2619.00	3797.00	0.50	14.85	0.50	16/.2	5	39.30	52.95	67.15					
35.00	276/0.4	110	857.00	1919.00	2786.00	3662.00	5204.00	0.75	20.85	0.75	24/.2	8	52.40	71.45	91.00					
50.00	396/0.4	145	1219.00	2723.00	3969.00	5241.00	7534.00	1.00	26.25	1.00	32/.2	13	65.65	90.40	116.00					
70.00	354/0.5	215	1727.00	3869.00	5505.00	7277.00	10302.00	1.50	37.60	1.50	30/.25	17	88.90	126.50	162.00					
95.00	484/0.5	260	2289.00	-----	7957.00	10497.00	-----	2.50	62.30	2.50	50/.25	24	146.00	199.00	268.00					
120.00	608/0.5	305	2944.00	-----	10103.00	13334.00	-----	4.00	94.80	4.00	56/.3	30	213.00	305.00	403.00					
150.00	750/0.5	355	3691.00	-----	12630.00	16670.00	-----	6.00	143.00	6.00	84/.3	38	313.00	447.00	590.00					
185.00	925/0.5	415	4609.00	-----	15553.00	20558.00	-----	10.00	253.00	10.00	80/.4	52	530.00	777.00	1028.00					
240.00	1210/0.5	500	6021.00	-----	20077.00	26576.00	-----			16.00	126/.4	70	845.00	1231.00	1619.00					
300.00	1527/0.5	585	7535.00	-----	25054.00	33176.00	-----			25.00	196/.4	88	1406.00	2045.00	2674.00					
400.00	2036/0.5	695	10040.00		33382.00	43944.00	-----			35.00	276/.4	110	1958.00	2841.00	3740.00					
										50.00	396/.4	145	2780.00	4047.00	5342.00					
										70.00	354/.5	215	3945.00	5613.00	7424.00					

POLYCAB

IDEAS. CONNECTED.

14

LEADING PROJECT
SUPPLIER & STOCKIST
OF ALL TYPES OF
ELECTRICAL GOODS



Chandan Electric Corporation

Since 1985

Office Add. / 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.

Telephone / 022 - 2208 7580 / 3956 7492 / 4003 9101

Fax / 022 - 2201 9101

Mobile / 91 - 9820486600 / 9029895008

Website / www.chandanelectric.in

Email / chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com

PRICE-LIST POLYCAB INDUSTRIAL CABLES

PRICE LIST DATED:20TH MARCH

W.E.F.: 20TH MARCH 2025

POLYCAB TELEPHONE & SWITCHBOARD CABLES				"POLYCAB" CO-AXIAL CABLES				POLYCAB INDUSTRIAL BRAIDED-UNARMoured SCREEN CABLES							
NO.OF PAIRS	UN-ARMoured (0.50MM)	UN-ARMoured (0.40MM)	ARMoured (0.50MM)					CORES	16/.20MM 0.5sqmm	24/.20MM 0.75sqmm	32/.20MM 1.0sqmm	48/.20MM 1.5sqmm	80/.20MM 2.5sqmm	54/.30MM 4 sqmm	84/.30MM 6 sqmm
RATE PER METER				ITEM	RATE OF COIL OF				2	113.00	139.00	157.00	190.00	286.00	426.00
1	11.40	8.15	-----		100 Mtrs. Unar-moured	305 Mtrs. Unar-moured	PER Mtr. Armoured	3	132.00	173.00	211.00	262.00	383.00	603.00	844.00
2	20.15	14.20	125.00					4	163.00	211.00	258.00	327.00	483.00	736.00	1026.00
3	29.85	20.95	-----					5	206.00	253.00	296.00	389.00	649.00	-----	-----
4	39.40	26.80	-----	RG-59	2440	7460	-----	6	218.00	296.00	337.00	456.00	728.00	4Cx10	1718.00
5	48.85	32.90	143.00	RG-6	3065	9400	101.21	7	235.00	330.00	383.00	505.00	823.00	4Cx16	2772.00
10	95.00	-----	272.00	RG-11	6995	21425	157.90	8	273.00	392.00	435.00	582.00	859.00	4Cx25	4386.00
20	183.90	-----	432.00	RG-6 CCS	1985	6045	-----	10	347.00	433.00	579.00	730.00	961.00	-----	-----
50	476.90	-----	-----					12	400.00	489.00	621.00	823.00	1124.00	-----	-----
100	933.35	-----	-----					14	433.00	579.00	728.00	986.00	1350.00	-----	-----
				RG-11 CCS	4005	12205	-----	16	464.00	675.00	818.00	1089.00	1590.00		
								19	552.00	799.00	965.00	1350.00	2053.00		
								24	666.00	892.00	1211.00	1655.00	2574.00		

POLYCAB CCTV CABLES				INDUSTRIAL CABLE (MULTISTRAND)					POLYCAB JELLYFILLED TELEPHONE CABLES			SERVICE CABLES			POLYCAB 3CORE FLAT SUBMERSIBLE CABLES		
SIZE	RATE PER 90MTRS COIL	RATE PER 180MTRS COIL	RATE PER 300MTRS COIL												Conductor Area sqmm	Conductor Construction (no/dia,mm)	RATE PER MTR
3+1	4015	8030	13383	SQMM	AMP.	FR (90 Mtrs)	FR 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	FRLSH 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	NO.OF PAIRS	UN-ARMoured (0.50MM)	ARMoured (0.50MM)	NO. OF CORES	SQ. MM	Rate per mtr	1.50	22/.3	101.10
4+1	4365	8730	14550												2.50	36/.3	156.90
ARMoured 137.68/- PER METER															4.00	56/.3	234.65
UNARMoured 3+1 = 44.61 PER METER															6.00	84/0.3	344.00
UNARMoured 4+1 = 48.50 PER METER															10.00	80/0.4	597.90
POLYCAB INDUSTRIAL SPEAKER WIRE OXYGEN FREE (Rate per 90 Meter)															16.00	126/0.4	928.50
															25.00	196/0.4	1451.60
															35.00	276/0.4	2011.40
				50.00	396/0.4	-----											
POLYCAB LAN (COMPUTER CABLES)				POLYCAB WELDING CABLES													
				Conductor Area sqmm	Conductor Construction No.dia mm	RATE PER METER											
				16.00	120	473.00											
				25.00	160	738.00											
23/36	2025	23/38	1375	35.00	230	1021.00											
40/36	3105	40/38	2280	50.00	400	1450.00											
70/36	4215	70/38	3090	70.00	600	2050.00											
1 sq.mm	3685	-----	-----	95.00	700	2701.00											
1.5 sq.mm	5485	-----	-----	120.00	1110	3456.00											
2.5 sq.mm	9100	-----	-----														

PRICE-LIST POLYCAB INSTRUMENTATION CABLES

PRICE LIST DATED: 24TH FEB

W.E.F.: 26TH FEB 2025

Str/Soilld PVC/XLPE Indulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	141	0.75	164	1	183	1.5	218	2.5	299
PAIR	2	0.5	206	0.75	247	1	285	1.5	354	2.5	507
PAIR	3	0.5	247	0.75	310	1	369	1.5	471	2.5	700
PAIR	4	0.5	295	0.75	376	1	454	1.5	592	2.5	889
PAIR	5	0.5	345	0.75	446	1	546	1.5	723	2.5	1100
PAIR	6	0.5	398	0.75	519	1	632	1.5	843	2.5	1283
PAIR	7	0.5	437	0.75	569	1	710	1.5	974	2.5	1463
PAIR	8	0.5	489	0.75	650	1	802	1.5	1080	2.5	1657
PAIR	10	0.5	586	0.75	772	1	968	1.5	1317	2.5	2021
PAIR	12	0.5	664	0.75	902	1	1139	1.5	1542	2.5	2409
PAIR	14	0.5	730	0.75	1012	1	1278	1.5	1782	2.5	2744
PAIR	16	0.5	833	0.75	1114	1	1444	1.5	1990	2.5	3115
PAIR	19	0.5	947	0.75	1318	1	1682	1.5	2327	2.5	3652
PAIR	24	0.5	1183	0.75	1656	1	2094	1.5	2924	2.5	4590

Str/Soilld Cu PVC/XLPE Indulated Pair/Triad/Quad laid up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
TRIAD	1	0.5	171	0.75	206	1	232	1.5	288	2.5	398
TRIAD	2	0.5	285	0.75	353	1	391	1.5	505	2.5	730
TRIAD	3	0.5	353	0.75	444	1	507	1.5	665	2.5	984
TRIAD	4	0.5	424	0.75	545	1	634	1.5	836	2.5	1241
TRIAD	5	0.5	490	0.75	652	1	759	1.5	1024	2.5	1524
TRIAD	6	0.5	566	0.75	754	1	890	1.5	1182	2.5	1790
TRIAD	7	0.5	626	0.75	836	1	993	1.5	1332	2.5	2040
TRIAD	8	0.5	705	0.75	918	1	1112	1.5	1510	2.5	2327
TRIAD	10	0.5	835	0.75	1139	1	1352	1.5	1860	2.5	2869
TRIAD	12	0.5	950	0.75	1309	1	1584	1.5	2171	2.5	3395
TRIAD	14	0.5	1080	0.75	1495	1	1811	1.5	2496	2.5	3910
TRIAD	16	0.5	1197	0.75	1666	1	2036	1.5	2828	2.5	4433
TRIAD	19	0.5	1381	0.75	1937	1	2370	1.5	3303	2.5	5198
TRIAD	24	0.5	1710	0.75	2424	1	2962	1.5	4160	2.5	6540
QUAD	1	0.5	196	0.75	239	1	276	1.5	343	2.5	491

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

CORES	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	61.85	79.20	95.00	124.00	194.00
3	76.70	104.50	126.00	170.00	268.00
4	95.25	126.50	161.50	226.00	338.00
5	117.00	156.00	190.00	261.00	427.00
6	136.00	178.00	223.00	319.00	511.00
7	147.00	209.00	259.00	354.00	605.00
8	168.00	226.00	288.00	401.00	676.00

PRICE-LIST NO-13

DATE:- 20TH MARCH 2025

CORES	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
10	199.00	279.00	354.00	490.00	826.00
12	235.00	332.00	424.00	588.00	1014.00
14	273.00	383.00	483.00	668.00	-----
16	309.00	430.00	543.00	770.00	-----
19	354.00	511.00	643.00	895.00	-----
24	439.00	628.00	795.00	1144.00	-----
Packing 100/300 mtrs. Coils & 2000 mtrs. drums • Note: 3% extra charges for drum packing.					

POLYCAB
IDEAS. CONNECTED.

6

Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.
Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 **Fax** 022 - 2201 9101
Mobile 91 - 9820486600 / 9029895008 **Website** www.chandanelectric.in
Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com

PRICE LIST FOR PVC/XLPE ARMoured CABLES

PRICE LIST DATED: 24TH FEB

W.E.F.: 26TH FEB 2025

PVC ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS:7098 (Pt-1) 1988 PVC/XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. Grade confirming to IS:7098 (Pt-1) 1988

COPPER ARMoured CABLES.2XWY/2XFY

ALUMINIUM ARMoured CABLES. A2XWY/A2XFY

No.Of Cores	1.5 sq. mm	2.5 sq. mm	Cross Section in sq.mm	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	Cross Section in sq.mm	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2	218.00	309.00							2.5	-----	184.00	205.00	-----	228.00
3	278.00	398.00	4	419.00	561.00	719.00	1054.00	1327.00	4	-----	209.00	224.00	-----	261.00
4	343.00	514.00	6	590.00	809.00	1058.00	1532.00	1873.00	6	-----	253.00	276.00	-----	330.00
5	417.00	631.00	10	937.00	1316.00	1680.00	2330.00	-----	10	-----	320.00	357.00	-----	454.00
6	496.00	743.00	16	1390.00	1926.00	2485.00	3343.00	-----	16	206.00	364.00	384.00	-----	485.00
7	547.00	838.00							25	271.00	389.00	511.00	593.00	635.00
8	699.00	1023.00							35	328.00	485.00	649.00	721.00	822.00
10	795.00	1177.00							50	404.00	628.00	844.00	977.00	1098.00
12	884.00	1368.00							70	517.00	840.00	1158.00	1316.00	1492.00
14	1012.00	1590.00							95	620.00	1038.00	1426.00	1643.00	1861.00
16	1131.00	1807.00							120	719.00	1239.00	1788.00	2058.00	2337.00
19	1342.00	2128.00							150	857.00	1524.00	2196.00	2439.00	2873.00
24	1679.00	2663.00							185	1053.00	1832.00	2718.00	3088.00	3534.00
27	1867.00	2987.00							240	1301.00	2429.00	3471.00	3878.00	4563.00
30	2082.00	3592.00							300	1601.00	2977.00	4289.00	4771.00	5625.00
37	2701.00	4196.00							400	2022.00	3865.00	5483.00	6095.00	7021.00
44	3155.00	4900.00							500	2519.00	5219.00	7351.00	8615.00	9707.00
61	4644.00	7105.00							630	3109.00	6420.00	9344.00	10557.00	12742.00

H.T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cross Section in sq. mm	6.6 KV (UE) 11 KV (E)	6.6 KV (UE) 11 KV (E) Round Wire	22 KV (E)	22 KV (E) Round Wire	33 KV (E)	33 KV (E) Round Wire
3 X 35	1587.00	1984.00	-----	-----	-----	-----
3 X 50	1896.00	2370.00	-----	-----	-----	-----
3 X 70	2311.00	2889.00	-----	-----	-----	-----
3 X 95	2621.00	3276.00	3615.00	4519.00	4789.00	5986.00
3 X 120	3164.00	3955.00	4062.00	5078.00	5400.00	6750.00
3 X 150	3707.00	4634.00	4659.00	5824.00	5804.00	7255.00
3 X 185	4226.00	5283.00	5259.00	6574.00	6480.00	8100.00
3 X 240	5121.00	6401.00	6208.00	7760.00	7653.00	9566.00
3 X 300	6057.00	7571.00	7279.00	9099.00	8639.00	10799.00
3 X 400	7579.00	9474.00	8827.00	11034.00	10472.00	13090.00