



Office Add. / 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.
Telephone / 022 - 2208 7580 / 3956 7492 / 4003 9101 Fax / 022 - 2201 9101
Mobile / 91 - 9820486600 / 9029895008 Website / www.chandanelectric.in
Email / chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



PRICE LIST : 1st OCT 2025

LP NO. KEI/LDC/LP/25-26/05 DT.01.10.2025

INDUSTRIAL MULTI STRAND CABLES

HSN CODE : 85.44.60.20

KEI PVC INSULATED INDUSTRIAL SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH FR / FRLSH / HFFR (ZHFR) PROPERTIES, WITH FLEXIBLE BRIGHT ANNEALED BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010 / IS 17048.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT (AMPS) BUNCHED & ENCLOSED IN CONDUIT OR TRUNKING	Std. Coil Packing	No. of Coils	HOMECAB (FR)		CONFLAME (FRLSH)		BANFIRE (ZHFR / HFFR)	
					RATE PER COIL	RATE PER MTR.	RATE PER COIL	RATE PER MTR.	RATE PER COIL	RATE PER MTR.
0.50	16/0.20	4	300 Mtr.	12	4200	14.00	4500	15.00		
0.75	24/0.20	7		8	5810	19.37	6240	20.80	6300	21.00
1.00	32/0.20	11		6	7660	25.53	8090	26.97	8170	27.23
1.50	30/0.25	14		4	11600	38.67	12090	40.30	12220	40.73
2.50	50/0.25	19		3	18820	62.73	19570	65.23	19770	65.90
4.00	56/0.30	26	200 Mtr.	3	18630	93.15	19270	96.35	19470	97.35
6.00	84/0.30	31		2	28460	142.30	29330	146.65	29620	148.10

PVC INSULATED INDUSTRIAL FLEXIBLE SINGLE CORE CABLES

KEI FLEXIBLE PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES FR / HRFR / FRLSH / HFFR (ZHFR) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010/ IS 17048.

(Rate in Rs. Per 100 Mtrs)

SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	Std. Pack of 100 Mtr. Coil	SINGLE CORE				SQ.MM	COND. CONST. (NO./DIA. MM)	CURRENT (AMPS) CLIPPED DIRECT TO A SURFACE OR ON A CABLE TRAY, BUNCHED & UNENCLOSED	SINGLE CORE			
				FR	HRFR	FRLSH	HFFR (ZHFR)				FR	HRFR	FRLSH	HFFR (ZHFR)
0.50	16/0.20	4	24	1400	1500	1500	1510	35	276/0.4	110	87100	89680	90070	90520
0.75	24/0.20	7	24	1940	2080	2080	2100	50	396/0.4	145	124880	128610	129090	129740
1.00	32/0.20	12	20	2550	2700	2700	2720	70	354/0.5	200	176790	181880	182490	183400
1.50	30/0.25	16	16	3870	4030	4030	4070	95	484/0.5	235	233190	239930	240690	241890
2.50	50/0.25	22	12	6270	6520	6520	6590	120	608/0.5	270	297950	306370	307250	308790
4	56/0.30	29	8	9320	9640	9640	9740	150	750/0.5	310	372570	383130	384240	386160
6	84/0.30	37	4	14230	14670	14670	14810	185	925/0.5	360	451220	464070	465380	467710
10	80/0.40	51	1	25460	26040	26210	26470	240	1210/0.5	425	597340	614340	616190	619270
16	126/0.40	68	1	39870	40760	40980	41390	300	1527/0.5	490	744720	765630	767620	771460
25	196/0.40	86	1	62100	64020	64340	64660	400	2036/0.5	590	995370	1023080	1025540	1030670

Note :

- FR / FRLSH & HFFR (ZHFR) wires up to 6 sq. mm are supplied in standard lengths of 300M & 200M Coils packed in Master Cartons.
- Single Core 10sqmm and above available in coil packing.
- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.

PRICE LIST : 1st OCT 2025

LP NO. KEI/LDC/LP/25-26/05 DT.01.10.2025

INDUSTRIAL MULTI STRAND CABLES

HSN CODE : 85.44.60.20

(Rate in Rs. Per 100 Mtrs)

KEI FLEXIBLE PVC INSULATED MULTICORE **FR** PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	3770	5400	6710	8950	10250	11560	17440	20150	23310	26410	30830	39340
0.75	24/0.20	5200	6970	9070	12360	13810	15680	23610	27250	31600	35850	42040	53580
1.00	32/0.20	6360	8810	11480	14690	17700	19950	29680	34970	40580	46090	53620	68330
1.50	30/0.25	8650	12360	16180	20580	24750	28280	41280	49050	56940	64780	76260	97110
2.50	50/0.25	14100	20240	26580	33360	40120	45990	66960	79660	92590	105440	124330	158280
4.00	56/0.3	22660	32720	43160	54380	65370	75140	109130	129890	150980	172120	203430	258890
6.00	84/0.3	33150	48190	63780	79750								
10.00	80/0.4	55780	81370	107790	135270								
16.00	126/0.4	86270	126290	167440									
25.00	196/0.4		192220	255720									
35.00	276/0.4		268820	357710									
50.00	396/0.4		384610	511910									
70.00	354/0.5		543300	723290									
95.00	484/0.5			956020									

KEI FLEXIBLE PVC INSULATED MULTICORE **FRLS** PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	4220	5760	7020	9630	10860	12070	18800	21210	24450	27590	32030	41040
0.75	24/0.20	5600	7630	9840	13390	15060	16860	25040	29520	34110	38600	45020	57600
1.00	32/0.20	6840	9460	12290	15690	19110	21510	31820	37570	43480	49310	57610	73700
1.50	30/0.25	9430	13240	17250	22210	26730	30290	44570	52750	61090	69400	81370	103970
2.50	50/0.25	15330	21610	28240	35660	42920	48850	71710	84980	98560	112090	131740	168340
4.00	56/0.3	24420	34700	45480	56720	68280	77910	114050	135220	156890	178650	210700	269060
6.00	84/0.3	35500	50820	67040	83850								
10.00	80/0.4	59350	85450	112860	141840								
16.00	126/0.4	91300	132150	174750									
25.00	196/0.4		200920	267040									
35.00	276/0.4		280610	373070									
50.00	396/0.4		401060	533340									
70.00	354/0.5		560400	752850									
95.00	484/0.5			995830									

KEI FLEXIBLE PVC INSULATED MULTICORE **ZHFR/HFFR** THERMOPLASTIC COMPOUND SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V GENERALLY CONFORMING TO IS-694:2010.

SQ.MM	COND. CONST. (NO./DIA.MM)	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	4260	5820	7100	9720	10970	12200	18980	21420	24700	27870	32350	41450
0.75	24/0.20	5650	7700	9940	13520	15210	17030	25290	29820	34450	38990	45470	58170
1.00	32/0.20	6910	9550	12410	15840	19300	21720	32140	37950	43910	49800	58180	74440
1.50	30/0.25	9530	13370	17430	22430	27000	30590	45010	53270	61700	70090	82180	105010
2.50	50/0.25	15480	21830	28520	36020	43350	49340	72430	85830	99550	113220	133060	170020
4.00	56/0.3	24670	35050	45940	57290	68960	78690	115200	136570	158460	180440	212810	271740

6.00	84/0.3	35850	51320	67710	84690	Note : - Multicore Flexible cables available in coil/drum packing. - GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy. - Please refer to our Marketing Department for Wires & Cables, not covered above. - This Price List is subject to change without prior notice.							
10.00	80/0.4	59950	86300	113990	143260								
16.00	126/0.4	92220	133470	176500									
25.00	196/0.4		201930	268380									
35.00	276/0.4		282010	374930									
50.00	396/0.4		403070	536010									
70.00	354/0.5		563200	756610									
95.00	484/0.5			1000810									



Office Add. 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.
Telephone 022 - 2208 7580 / 3956 7492 / 4003 9101 **Fax** 022 - 2201 9101
Mobile 91 - 9820486600 / 9029895008 **Website** www.chandanelectric.in
Email chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



PRICE LIST : 1st OCT 2025

LP NO. KEI/3CF/LP/25-26/05 DT.01.10.2025

KEI 3 CORE FLAT SUBMERSIBLE CABLES

KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.

SIZE (IN SQ. MM)	CONDUCTOR CONSTRUCTION (NO./DIA.MM)	RATE PER 100MTR. COIL
1.50	30/0.25	13120
2.50	50/0.25	20290
4.00	56/0.3	30180
6.00	84/0.3	44920
10.00	80/0.4	75640
16.00	126/0.4	119570
25.00	196/0.4	179670
35.00	276/0.4	279960

Notes:

- 3 Core Flat Submersible Cables PVC Insulated & Sheathed with XLPE can be supplied at the same rates as PVC insulated cables.
- Cables upto 4sqmm are supplied in 300Mtr coils & 500Mtr/1000Mtr drums.
- Cables from 6sqmm to 25sqmm are supplied in 500Mtr drums.
- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.

CO-AXIAL & COMMUNICATION CABLES

PRICE LIST : 1st OCT 2025

LP NO. KEI/COMM/LP/25-26/05 DT. 01.10.2025

KEI INDUSTRIAL JELLY FILLED CO AXIAL CABLES

KEI Polyethylene Foam insulation with laminated aluminum tape and Aluminium wire braid, Jelly filled Black PVC oversheathed Co Axial Cables.

SIZE	90 Mtr. Packing	100 Mtr. Packing	305 Mtr. Packing
RG-59	NA	2760	8420
RG-6 CU*		3840	11710
RG-6 CCS*		2420	7380
RG-11 CU		8760	26720
RG-11 CCS		4990	15220

KEI LAN (COMPUTER) & CCTV (3+1 & 4+1) CABLES

KEI 4 pair Unshielded Twisted Pair (UTP) LAN Cables

SIZE	90 Mtr. Packing	100 Mtr. Box Packing	305 Mtr. Spool Packing
CAT-6, 4 pair UTP LAN	NA	5220	15930

KEI CCTV Cable

SIZE	90 Mtr. Packing	100 Mtr. Packing	305 Mtr. Packing
CCTV (3+1) with RG-59	4910	5450	NA
CCTV (4+1) with RG-59	5380	5975	
CCTV (3+1)*	3240	3595	
CCTV (4+1)*	3640	4040	

KEI TELEPHONE CABLES

KEI Solid high conductivity copper telephone (switchboard) cables with high density polyethylene insulation, paired, polyster and sheathed with Grey coloured PVC compound telephone cables generally conforming to ITD specification.

No. of Pairs	Size - mm	90 Mtr. Packing	100 Mtr. Packing	Size - mm	90 Mtr. Packing	100 Mtr. Packing
1 Pair	0.40	900	995	0.50	1270	1410
2 Pair*	0.40*	1570	1745	0.50	2240	2490
3 Pair	0.40	2320	2580	0.50	3320	3690
4 Pair	0.40	2980	3310	0.50	4360	4840
5 Pair	0.40	3660	4065	0.50	5440	6045
10 Pair	0.40	7370	8190	0.50	10560	11730

Notes:

- GST and any other tax/levy will be charged extra, at actuals. Freight as per W&F Policy.
- Please refer to our Marketing Department for Communication Cables, not covered above.
- * Items available in 90mtr Box packing : CCTV (3+1), CCTV (4+1) & 2P0.40.
- * Items available in 100mtr Box packing : RG-6 CU & RG-6 CCS.
- For other Colours or Lengths please contact our Marketing Department.
- This Price List is subject to change without prior notice.



Office Add. / 89, Princess Street, 2nd Flr., Peerbhoy Building, Pathak Wadi, Lohar Chawl, Mum-02.
Telephone / 022 - 2208 7580 / 3956 7492 / 4003 9101 **Fax** / 022 - 2201 9101
Mobile / 91 - 9820486600 / 9029895008 **Website** / www.chandanelectric.in
Email / chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



PRICE LIST : 1st OCT 2025

LP NO. KEI/SOLAR/LP/25-26/05 DT. 01.10.2025

PV SOLAR CABLES - PV1-F / H1Z2Z2-K / 2XY

RATE (Rs.) PER MTR

SIZE (AREA SQ.MM)	STANDARD PACKING MTRS.	"KEI" Make, 1500 V DC. Flexible (Class 5) Circular Tinned Copper Conductor, Extruded XLPO Insulated, and Overall Extruded XLPO Outersheathed Cables Conforming to TUV Standard 2 Pfg 1169/08.2007 & BS EN 50618, IEC 62930 & IS 17293			"KEI" Make 1500V DC. Plain Flexible Copper Conductor XLPE Insulated and UV Stabilized PVC Sheathed Single Core PV Cables.	
		Current Carrying (Amps) Capacity @ Amb. 60 Deg.C. single cable in air	TUV 2 Pfg 1169/08.2007 PV1-F	EN/BS EN 50618 H1Z2Z2-K, IEC 62930, IS 17293	Current Carrying (Amps) Capacity @ Amb. 40 Deg.C. single cable in air	XLPE/PVC 2XY
1.50	1000	30	52.00	59.25	25	51.75
2.50	1000	41	80.30	87.50	35	78.30
4	1000	55	110.00	118.00	45	107.50
6	1000	70	161.00	169.00	58	156.50
10	1000	98	266.00	279.00	80	261.60
16	1000	132	417.00	437.00	106	412.00
25	1000	176	----	720.00	135	680.00
35	1000	218	----	992.00	173	947.00
50	1000	276	----	1405.00	226	1350.00
70	1000	347	----	1950.00	336	1875.00
95	1000	416	----	2630.00	406	2525.00
120	1000	488	----	3300.00	476	3185.00
150	500	566	----	4115.00	555	3980.00
185	500	644	----	5085.00	649	4910.00
240	500	775	----	6580.00	781	6355.00

Notes:

- Discount on above rates is applicable as per Policy.
- GST and any other tax/levy will be charged extra, at actuals. **HSN - 85446090**
- Technical data sheets are available on request.
- Minimum Order Qty shall be - up to 35 sq.mm 2kms & all above 1km against each size & colour.
- Packing Lengths - 300/500 Mtrs in Coils (up to 10 Sq.mm) & 1000 Mtrs in wooden spool / drum.
- Freight as per W&F policy and for North East Freight will be extra at actual.
- This Price List is subject to change without prior notice.

KEI WIRES & CABLES