

'POLYCAB' PVC insulated unsheathed bright annealed bare copper conductor single core industrial cable & PVC insulated, PVC round sheathed multicore industrial cables for voltage grade upto 1100V as per IS694:1990 (POLYCAB IND FLEXIBLE (FRLS) INSULATED CABLE) 5CORE TO 24CORE (RATE PER METER)

COND. AREA SQ. MM.	COND. CONST. (NO./DIA.MM.)	AMP	1 CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	05	18.85	47.40	65.10	83.25	108.30	129.80	145.50	172.00	215.00	250.00	288.50	329.00	381.00	479.00
0.75	24/0.20	08	26.40	63.50	88.05	113.20	153.20	186.00	208.00	243.00	305.00	356.00	417.00	470.00	555.00	693.00
1.00	32/0.20	13	33.25	80.70	111.80	145.15	198.00	238.00	269.00	312.00	386.00	461.00	534.00	608.00	716.00	895.00
1.50	30/0.25	17	47.80	110.00	158.00	205.00	270.00	328.00	368.00	426.00	543.00	640.00	755.00	871.00	1012.00	1295.00
2.50	50/0.25	24	78.60	183.00	249.00	336.00	439.00	530.00	607.00	721.00	886.00	1063.00	1235.00	1413.00	1636.00	2119.00
4.00	56/0.30	30	121.40	268.00	384.00	511.00	694.00	831.00	1003.00	-----	-----	-----	-----	-----	-----	-----
6.00	84/0.30	38	182.00	393.00	565.00	750.00	1021.00	1228.00	-----	-----	-----	-----	-----	-----	-----	-----
10.00	80/0.40	52	317.00	672.00	988.00	1303.00	1762.00	POLYCAB INDUSTRIAL FLEXIBLE (FRLS) INSULATED CABLE								
16.00	126/0.4	70	500.00	1055.00	1543.00	2037.00	2695.00									
25.00	196/0.4	88	777.00	1759.00	2558.00	3342.00	4892.00	SIZE SQMM	SINGLE CORE	Size sqmm	Cond No. /dia mm)	Amp	2 CORE	3 CORE	4 CORE	
35.00	276/0.4	110	1087.00	2450.00	3557.00	4674.00	6707.00	0.50	19.25	0.50	16/.2	5	50.45	68.00	86.15	
50.00	396/0.4	145	1550.00	3474.00	5065.00	6690.00	9709.00	0.75	27.15	0.75	24/.2	8	67.25	91.65	117.20	
70.00	354/0.5	215	2191.00	4939.00	7027.00	9289.00	13278.00	1.00	33.60	1.00	32/.2	13	84.25	116.00	148.75	
95.00	484/0.5	260	2889.00	-----	10156.00	13399.00	-----	1.50	48.15	1.50	30/.25	17	115.00	163.50	209.00	
120.00	608/0.5	305	3800.00	-----	12897.00	17020.00	-----	2.50	79.65	2.50	50/.25	24	188.00	257.00	346.00	
150.00	750/0.5	355	4755.00	-----	16121.00	21279.00	-----	4.00	123.40	4.00	56/.3	30	274.00	393.00	519.00	
185.00	925/0.5	415	6029.00	-----	19853.00	26241.00	-----	6.00	184.50	6.00	84/.3	38	404.00	576.00	761.00	
240.00	1210/0.5	500	7722.00	-----	25629.00	33924.00	-----	10.00	324.00	10.00	80/.4	52	683.00	1003.00	1324.00	
300.00	1527/0.5	585	9662.00	-----	31980.00	42348.00	-----			16.00	126/.4	70	1084.00	1579.00	2077.00	
400.00	2036/0.5	695	12875.00		42611.00	56092.00	-----			25.00	196/.4	88	1797.00	2610.00	3413.00	
										35.00	276/.4	110	2500.00	3625.00	4775.00	
										50.00	396/.4	145	3549.00	5165.00	6818.00	
										70.00	354/.5	215	5035.00	7166.00	9475.00	

POLYCAB TELEPHONE & SWITCHBOARD CABLES				"POLYCAB" CO-AXIAL CABLES			POLYCAB INDUSTRIAL BRAIDED-UNARMOURED SCREEN CABLES								
NO.OF PAIRS	UN-ARMOURED (0.50MM)	UN-ARMOURED (0.40MM)	ARMOURED (0.50MM)				CORES	16/.20MM 0.5sqmm	24/.20MM 0.75sqmm	32/.20MM 1.0sqmm	48/.20MM 1.5sqmm	80/.20MM 2.5sqmm	54/.30MM 4 sqmm	84/.30MM 6 sqmm	
RATE PER METER				ITEM	RATE OF COIL OF			2	137.00	167.00	189.00	229.00	346.00	514.00	667.00
1	14.40	10.35	-----		RG-59	100 Mtrs. Unar- moured	305 Mtrs. Unar-	PER Mtr. Armoured	3	159.00	208.00	256.00	316.00	463.00	729.00
2	25.55	17.95	138.00	4					197.00	256.00	310.00	387.00	584.00	890.00	1240.00
3	37.90	26.50	-----	RG-6	2910	8850	-----	5	249.00	306.00	357.00	470.00	785.00	-----	-----
4	49.95	33.95	-----					6	263.00	357.00	408.00	551.00	882.00	4Cx10	2078.00
5	61.90	41.70	158.00	RG-11	3635	11175	120.22	7	284.00	398.00	463.00	610.00	995.00	4Cx16	3350.00
10	120.40	-----	301.00					8	331.00	474.00	526.00	703.00	1038.00	4Cx25	5303.00
20	233.50	-----	478.00	RG-6 CCS	8315	25440	187.65	10	419.00	524.00	700.00	884.00	1161.00	-----	-----
50	604.60	-----	-----					12	474.00	591.00	751.00	995.00	1359.00	-----	-----
100	1181.70	-----	-----	RG-11 CCS	2380	7255	-----	14	524.00	700.00	882.00	1192.00	1634.00	-----	-----
								16	561.00	814.00	990.00	1315.00	1923.00		
								19	667.00	966.00	1167.00	1634.00	2482.00		
								24	806.00	1079.00	1464.00	2001.00	3112.00		

POLYCAB CCTV CABLES			
SIZE	RATE PER 90MTRS COIL	RATE PER 180MTRS COIL	RATE PER 300MTRS COIL
3+1	4825	9650	16083
4+1	5240	10480	17466
ARMoured 165.21/- PER METER			

UNARMoured 3+1 = 53.61 /-PER METER

UNARMoured 4+1 = 58.22/- PER METER

POLYCAB INDUSTRIAL SPEAKER WIRE OXYGEN FREE (Rate per 90 Meter)			
SIZE	RATE	SIZE	RATE
23/36	2555	23/38	1735
40/36	3910	40/38	2870
70/36	5305	70/38	3905

1 sq.mm	4650	-----	-----
1.5 sq.mm	6910	-----	-----
2.5 sq.mm	11475	-----	-----

INDUSTRIAL CABLE (MULTISTRAND)				
SQMM	AMP.	FR (90 Mtrs)	FR 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	FR LSH 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)
0.75	7	1945	8005	8160
1.00	12	2605	10345	10530
1.50	16	3810	15125	15420
2.50	22	6030	25060	25485
4.00	29	8820	26055	26340
6.00	37	13180	38430	38905
10.00	45	-----	66340	67040
16.00	68	-----	104385	105420

POLYCAB JELLYFILLED TELEPHONE CABLES		
NO.OF PAIRS	UN-ARMoured (0.50MM)	ARMoured (0.50MM)
RATE PER METER		
5	137	198
10	214	317
20	361	462
50	794	994
100	-----	2110
200	-----	3875

SERVICE CABLES		
NO. OF CORES	SQ. MM	Rate per mtr
2	2.5	92.05
2	4	124.00
2	6	163.00
2	10	237.00
2	16	345.00

POLYCAB 3CORE FLAT SUBMERSIBLE CABLES		
Conductor Area sqmm	Conductor Construction (no/dia,mm)	RATE PER MTR
1.50	22/.3	127.30.
2.50	36/.3	197.80
4.00	56/.3	295.35
6.00	84/0.3	437.65
10.00	80/0.4	760.75
16.00	126/0.4	1181.50
25.00	196/0.4	1848.20
35.00	276/0.4	2559.50
50.00	396/0.4	-----

POLYCAB WELDING CABLES		
Conductor Area sqmm	Conductor Construction No.dia mm	RATE PER METER
16.00	120	592.00
25.00	160	926.00
35.00	230	1279.00
50.00	400	1815.00
70.00	600	2567.00
95.00	700	3381.00
120.00	1110	4325.00

POLYCAB LAN (COMPUTER CABLES)				
SIZE	UTP UNARMoured Rate per 305 mtr	UTP ARMoured Rate per mtr	STP UNARMoured Rate per 305 mtr	STP ARM Rate per mtr
CAT-5E	14675	-----	-----	-----
CAT-6	15875	136.03	24385	148.75
CAT 6-A (GOLD)	-----	-----	-----	-----

Str/SoilId PVC/XLPE Indulated Core/Pair/Triad/Quad lald up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/strip Armoured PVC Outer Sheathed Instrumentation.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	154	0.75	180	1	200	1.5	238	2.5	327
PAIR	2	0.5	225	0.75	270	1	311	1.5	386	2.5	553
PAIR	3	0.5	270	0.75	338	1	403	1.5	515	2.5	764
PAIR	4	0.5	322	0.75	411	1	496	1.5	647	2.5	971
PAIR	5	0.5	377	0.75	487	1	596	1.5	790	2.5	1201
PAIR	6	0.5	435	0.75	567	1	690	1.5	921	2.5	1401
PAIR	7	0.5	477	0.75	622	1	775	1.5	1064	2.5	1598
PAIR	8	0.5	534	0.75	710	1	876	1.5	1179	2.5	1809
PAIR	10	0.5	639	0.75	843	1	1057	1.5	1439	2.5	2207
PAIR	12	0.5	726	0.75	985	1	1244	1.5	1684	2.5	2630
PAIR	14	0.5	797	0.75	1105	1	1395	1.5	1946	2.5	2997
PAIR	16	0.5	909	0.75	1217	1	1577	1.5	2174	2.5	3402
PAIR	19	0.5	1034	0.75	1440	1	1836	1.5	2541	2.5	3988
PAIR	24	0.5	1292	0.75	1808	1	2287	1.5	3193	2.5	5013

Str/SoilId Cu PVC/XLPE Indulated Pair/Triad/Quad lald up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
TRIAD	1	0.5	187	0.75	225	1	253	1.5	315	2.5	435
TRIAD	2	0.5	311	0.75	385	1	427	1.5	551	2.5	797
TRIAD	3	0.5	385	0.75	485	1	553	1.5	727	2.5	1074
TRIAD	4	0.5	463	0.75	595	1	692	1.5	912	2.5	1356
TRIAD	5	0.5	536	0.75	712	1	828	1.5	1118	2.5	1664
TRIAD	6	0.5	618	0.75	823	1	972	1.5	1290	2.5	1955
TRIAD	7	0.5	684	0.75	912	1	1085	1.5	1454	2.5	2228
TRIAD	8	0.5	770	0.75	1003	1	1214	1.5	1649	2.5	2541
TRIAD	10	0.5	911	0.75	1244	1	1476	1.5	2031	2.5	3133
TRIAD	12	0.5	1037	0.75	1429	1	1729	1.5	2371	2.5	3708
TRIAD	14	0.5	1179	0.75	1633	1	1977	1.5	2726	2.5	4269
TRIAD	16	0.5	1307	0.75	1820	1	2223	1.5	3088	2.5	4841
TRIAD	19	0.5	1508	0.75	2115	1	2588	1.5	3607	2.5	5676
TRIAD	24	0.5	1867	0.75	2647	1	3234	1.5	4542	2.5	7142
QUAD	1	0.5	214	0.75	261	1	301	1.5	375	2.5	537

POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)

PRICE-LIST NO-10

DATE:- 8TH JAN 2026

CORES	0.5 sq.mm (16/2)	0.75 sq.mm (24/2)	1.0 sq.mm (32/2)	1.5 sq.mm (30/25)	2.5 sq.mm (50/25)
2	78.15	101.15	122.60	159.55	249.15
3	98.00	131.30	161.25	216.30	343.25
4	120.00	162.00	208.00	289.00	435.00
5	147.00	200.00	247.00	333.00	550.00
6	169.00	228.00	284.00	403.00	655.00
7	185.00	267.00	329.00	454.00	775.00
8	213.00	287.00	371.00	508.00	869.00

CORES	0.5 sq.mm (16/2)	0.75 sq.mm (24/2)	1.0 sq.mm (32/2)	1.5 sq.mm (30/25)	2.5 sq.mm (50/25)
10	252.00	356.00	456.00	627.00	1061.00
12	299.00	417.00	538.00	749.00	1311.00
14	348.00	489.00	622.00	861.00	-----
16	392.00	549.00	701.00	997.00	-----
19	450.00	652.00	827.00	1157.00	-----
24	557.00	802.00	1022.00	1478.00	-----

Packing 100/300 mtrs. Coils & 2000 mtrs. drums • Note: 3% extra charges for drum packing.

PVC ARMoured Cables with COPPER Conductor 650/1100 V. Grade conforming to IS:7098 (Pt-1) 1988 PVC/XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. Grade conforming to IS:7098 (Pt-1) 1988

COPPER ARMoured CABLES.2XWY/2XFY

ALUMINIUM ARMoured CABLES. A2XWY/A2XFY

No.Of Cores	1.5 sq. mm	2.5 sq. mm	Cross Section in sq.mm	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	Cross Section in sq.mm	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2	284.00	401.00							2.5	-----	213.00	238.00	-----	265.00
3	361.00	518.00	4	557.00	746.00	956.00	1402.00	1766.00	4	-----	242.00	260.00	-----	303.00
4	446.00	668.00	6	784.00	1077.00	1407.00	2039.00	2491.00	6	-----	294.00	321.00	-----	384.00
5	542.00	820.00	10	1247.00	1752.00	2287.00	3101.00	-----	10	-----	372.00	415.00	-----	527.00
6	645.00	965.00	16	1807.00	2505.00	3308.00	4348.00	-----	16	239.00	423.00	446.00	-----	564.00
7	710.00	1089.00	Cross Section in	1 CORE	3 CORE	3.5 CORE	4 CORE	5 CORE	25	315.00	452.00	594.00	690.00	738.00
8	908.00	1329.00							35	382.00	564.00	755.00	838.00	956.00
10	1034.00	1530.00							50	470.00	730.00	982.00	1136.00	1277.00
12	1149.00	1778.00							70	601.00	978.00	1346.00	1531.00	1735.00
14	1315.00	2067.00	50	2890.00	7893.00	9290.00	10519.00	14700.00	95	721.00	1207.00	1658.00	1920.00	2163.00
16	1470.00	2348.00	70	4059.00	11525.00	13341.00	15184.00	----	120	844.00	1455.00	2100.00	2428.00	2743.00
19	1744.00	2764.00	95	5394.00	15980.00	18299.00	21093.00	----	150	1006.00	1789.00	2578.00	2877.00	3373.00
24	2181.00	3461.00	120	6788.00	19594.00	24066.00	26281.00	----	185	1236.00	2150.00	3191.00	3642.00	4149.00
27	2426.00	3881.00	150	8444.00	24919.00	29113.00	33383.00	----	240	1527.00	2851.00	4075.00	4575.00	5357.00
30	2706.00	4668.00	185	10382.00	31676.00	37061.00	42310.00	----	300	1880.00	3494.00	5036.00	5628.00	6603.00
37	3510.00	5453.00	240	13338.00	41146.00	47837.00	54581.00	----	400	2374.00	4538.00	6437.00	7189.00	8243.00
44	4100.00	6368.00	300	16630.00	51858.00	59973.00	69405.00	----	500	2958.00	6127.00	8629.00	10162.00	11395.00
61	6035.00	9232.00	400	21738.00	66607.00	75800.00	92786.00	----	630	3649.00	7537.00	10969.00	12452.00	14958.00

H.T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cross Section in sq. mm			6.6 KV (UE) 11 KV (E)	6.6 KV (UE) 11 KV (E) Round Wire	22 KV (E)	22 KV (E) Round Wire	33 KV (E)	33 KV (E) Round Wire
3	X	35	1845.00	2306.00	-----	-----	-----	-----
3	X	50	2205.00	2756.00	-----	-----	-----	-----
3	X	70	2686.00	3358.00	-----	-----	-----	-----
3	X	95	3047.00	3809.00	4204.00	5255.00	5569.00	6961.00
3	X	120	3680.00	4600.00	4723.00	5904.00	6278.00	7848.00
3	X	150	4310.00	5388.00	5416.00	6770.00	6749.00	8436.00
3	X	185	4914.00	6143.00	6114.00	7643.00	7534.00	9418.00
3	X	240	5954.00	7443.00	7218.00	9023.00	8898.00	11123.00
3	X	300	7042.00	8803.00	8464.00	10580.00	10045.00	12556.00
3	X	400	8812.00	11015.00	10264.00	12830.00	12176.00	15220.00