



PLAZA[®]
CABLES

Your Powerful Partner

CEC Chandan Electric Corporation
Since 1985

We are one of the leading Project supplier & stockist of all types of Electrical goods

89, Princess Street, Room no. 36, A, 2nd floor, Peerbhoy Building, 81/95, Pathak Wadi,
Lohar Chawl, Opp. Sun Brand Umbrella Showroom. Mumbai- 400 002.
Tel-022-22087580 / 39567492. Mob.+91-9820486600 / 9029895008. fax-022-22019101
Email id:- chandan_electric@hotmail.co.in / info.chandanelectric@gmail.com



**Safety First,
Safety Last**

PRICE LIST

Effective from 25, July 2018

"Plaza" FR, PVC Insulated Unsheathed Flexible Wire Copper Conductor 1100 Volts Industrial Cables Grade Conf. To IS : 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Standard packing	Rate (90 Mtrs.)	Rate (720 Mtrs.) Project Packing	Rate "3D" (90 Mtrs.) Packing
0.75	18	807.00	6452.00	847.00
1.00	24	1019.00	8145.00	1070.00
1.50	16	1520.00	12149.00	1581.00
2.50	12	2458.00	19662.00	2558.00
4.00	8	3606.00	28854.00	3786.00
6.00	4	5468.00	43744.00	
10.00	2	8832.00		

Standard Packing: 90 mtrs. in carton
• Colours available: Red, Yellow, Blue, Black, Green & White.

Project packing: 720 mtrs. poly bag

"Plaza" HRFR PVC Insulated (unsheathed) Flexible Copper Conductor 1100 Volts. Grade Conforming To IS 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Standard packing	Rate (90 Mtrs.)
0.75	18	831.00
1.00	18	1048.00
1.50	14	1565.00
2.50	12	2532.00
4.00	4	3715.00
6.00	4	5632.00
10.00	2	9097.00

Standard Packing: 90 mtrs. coils.
• Colours available: Red, Yellow, Blue, Green & Black.

"Plaza" Flame Retardent Cables With Reduced Low Smoke & Halogen Evaluation And Smoke (FR-LSH) PVC Insulated Unsheathed Flexible Wire Copper Conductor 1100 Volts Grade Conf. IS : 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Rate (90 Mtrs.)
1.00	1074.00
1.50	1602.00
2.50	2593.00
4.00	3805.00
6.00	5769.00
10.00	9318.00

Standard Packing: 90 mtrs. in carton
• Colours available: Red, Yellow, Blue, Black, Green & White.

"Plaza" Zero Halozen Flame Retardent (ZHFR) Insulated Unsheathed Flexible Wire Copper Conductor 1100 Volts Grade As Per IS : 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Rate (90 Mtrs.)	Rate (180 Mtrs.) Project Packing
1.00	1145.00	2291.00
1.50	1708.00	3417.00
2.50	2765.00	5531.00
4.00	4058.00	8115.00
6.00	6152.00	12302.00
10.00	9936.00	19872.00

Standard Packing: 90 mtrs. coils.
• Colours available: Red, Yellow, Blue, Green & Black.

Project packing: 180 mtrs. poly bag

"Plaza" PVC Insulated & PVC Sheathed Industrial Round Multicore Flexible Cable Copper Conductor 1100 Volts Grade Conf. To IS : 694/2010 With Latest Amendments (100 Mtrs.)

HSN CODE : 8544

Nom. cond. area sq. mm	Amps.	2 Core Rate	3 Core Rate	4 Core Rate	2 Core FLRS Rate	3 Core FLRS Rate	4 Core FLRS Rate
0.50	4	1770.00	2293.00	2892.00	1947.00	2523.00	3180.00
0.75	7	2371.00	3072.00	3950.00	2607.00	3379.00	4344.00
1.00	11	2853.00	3766.00	4830.00	3138.00	4141.00	5314.00
1.50	14	3688.00	5107.00	6603.00	4057.00	5618.00	7263.00
2.50	19	5894.00	8062.00	10630.00	6483.00	8868.00	11694.00
4.00	26	9025.00	12719.00	16376.00	9928.00	13990.00	18013.00
6.00	37	14481.00	19039.00	24702.00	15929.00	20942.00	27172.00
10.00	42	24674.00	31814.00	41539.00	27142.00	34996.00	45694.00
16.00	57	36039.00	49000.00	62322.00	39643.00	53900.00	68554.00
25.00	71	60537.00	76629.00	100779.00	66590.00	84292.00	110857.00
35.00	91	78936.00	114240.00	149700.00	86830.00	125664.00	164670.00
50.00	120	112870.00	163433.00	214186.00	124158.00	179777.00	235603.00

Standard Packing: 100 also
Also available : 500 mtrs. ± 5% on non returnable wooden drums (on demand)

"Plaza" PVC Insulated & PVC Sheathed Three Core Flat Submersible Cable Copper Conductor 1100 Volts Grade Conf. To IS : 694/2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Current Rating (Amps.)	RATE (100 MTRS.)	RATE (500 MTRS.)
1.5	14	5663.00	28314.00
2.5	19	9009.00	45045.00
4.0	26	13238.00	66190.00
6.0	31	19950.00	99750.00
10.0	42	33344.00	166720.00
16.0	57	53563.00	
25.0	71	85048.00	
35.0	91	113133.00	
50.0	120	163756.00	

"Plaza" PVC / PE Insulated Twin Flat Telephone Cable With Bare / Tinned Copper Conductor 1100 Volts Grade Conf. To ITI & ITD Specifications (90Mtrs.)

HSN CODE : 8544

Nom. cond. area sq. mm	Cond. Const. (No./ Dia.mm)	Rate
(0.41mm)	1/.016	450.00
(0.51mm)	1/.020	693.00
(0.61mm)	1/.024	905.00
	1/.028	1317.00

Telephone Cables Available Up To 100 Pair. Price Request.

"Plaza" PVC Insulated & FR/FR-LSH, PVC Flexible Industrial Cable Copper 1100 Volts Grade Conf. To Is : 694 /2010 With Latest Amendments

HSN CODE : 8544

Nom. cond. area sq. mm	Amps.	SINGLE CORE (HOOK UP WIRE) (FR-100 MTRS. RATE)	SINGLE CORE (HOOK UP WIRE) (FR-LSH 100 MTRS. RATE)	SINGLE CORE 200 MTRS. RATE	SINGLE CORE FR-LSH 200 MTRS. RATE	TWIN TWISTED 100 MTRS. RATE	TWIN TWISTED 500 MTRS. RATE
0.30	2					889.00	4442.00
0.50	4	670.00	707.00			1475.00	7378.00
0.75	7	896.00	946.00	1791.00	1889.00	2057.00	10285.00
1.00	11	1131.00	1193.00	2262.00	2386.00	2817.00	14088.00
1.50	13	1688.00	1780.00	3375.00	3561.00	4068.00	
2.50	18	2731.00	2880.00	5461.00	5762.00	6811.00	
4.00	24	4007.00	4228.00	8015.00	8455.00	10827.00	
6.00	37	6075.00	6409.00	12151.00	12819.00		
10.00	51	9813.00	10353.00	19626.00	20706.00		
16.00	68	14547.00	15347.00				
25.00	86	22788.00	24042.00				
35.00	110	31583.00	33321.00				
50.00	145	45581.00	48088.00				
70.00	200	66255.00	69899.00				
95.00	235	87317.00	92118.00				
120.00	270	112107.00	118272.00				
150.00	310	138460.00	146074.00				
185.00	360	171728.00	181173.00				

Flate cable

2Cx 0.3 Sq mm

1194.00
100. Mtrs.
5970.00
500. Mtrs.

Suitable For High Frequency And System For Transmission And Reception Purpose For Missiles And Stellite Guidance Microwave Transmission And Local Cable Network System, We Manufacture As Per British Standards 2316 (U.R. Series) Military Standards Mil-C17, (RG Series) & Indian Standards

HSN CODE : 8544

Size	Rate (RS.) Coil	Length
Coxial RG-59 (CCS)-/.040	652.00	50 Mtrs.
Coxial RG-59 (CCS)-1/.040	1294.00	100 Mtrs.
RG-6(Copper)	1850.00	100 Mtrs.
RG-6(Copper)	5637.00	305 Mtrs.
RG-6(CCS)	1068.00	100 Mtrs.
RG-6(CCS)	2884.00	270 Mtrs.
RG-6(CCS)	3257.00	305 Mtrs.
RG-6 (CCS) Jelly Field	1116.00	100 Mtrs.
RG-6 (CCS) Jelly Field	3404.00	305 Mtrs.
RG-6 Jelly Field (Copper)	1871.00	100 Mtrs.
RG-6 Jelly Field (Copper)	5707.00	305 Mtrs.
RG-11 (CCS)	2756.00	100 Mtrs.
RG-11 (Copper)	4822.00	100 Mtrs.

"Plaza" PE Insulated / FR PVC Sheathed With Bare / Tinned Copper Conductor Conf. To ITI & ITD Specifications (100 Mtrs.)

HSN CODE : 8544

No. of Pair	0.41 mm Rate (RS.) Coil	0.51 mm Rate (RS.) Coil	0.61 mm Rate (RS.) Coil
2.00	868.00	1128.00	1608.00
3.00	1303.00	1696.00	2399.00
4.00	1745.00	2264.00	3192.00
5.00	2182.00	2825.00	4017.00
6.00	2611.00	3392.00	4806.00
7.00	3069.00	3948.00	5596.00
8.00	3491.00	4520.00	6390.00
10.00	4405.00	5613.00	8025.00
12.00	5273.00	6795.00	9562.00
15.00	6547.00	8480.00	11942.00
20.00	8759.00	11244.00	15926.00
25.00	10868.00	14176.00	20090.00
30.00	13092.00	16882.00	23892.00
35.00	15335.00	19730.00	28251.00
50.00	21904.00	28342.00	40203.00
75.00	32786.00	42549.00	59968.00
100.00	43329.00	56176.00	80168.00

"Plaza" FR, PVC Insulated (Unsheathed) Single Core Sheathed & Twin Core Flat Sheathed Copper Conductor 1100 Volts Grade Conf. To Is : 694 /2010 With Latest Amendments

HSN CODE : 8544

No of Wires & / Dia (mm)	Cond. const. (No./ Dia.mm)	Standard Packing	Rate (Rs.)/ Coil
1/1.14	1/18	20	1164.00
3/0.66	3/22	20	1278.00
3/0.80	3/20	20	1714.00
7/0.86	7/22	12	2938.00
7/1.05	7/20	12	4365.00
7/1.71	7/18	5	7383.00
7/2.14	7/16	3	16785.00
19/1.04	7/14		25939.00
19/1.54	19/18		19216.00
19/2.16	19/16		41720.00
37/1.56	19/14		69309.00
37/2.04	37/16		79763.00
	37/14		133553.00

"Plaza" FR, PVC Insulated (Unsheathed) Wire Copper Conductor 1100 Volts Industrial Grade Conf. To Is : 694 /2010 With Latest Amendments(100Mtrs.)

HSN CODE : 8544

Nom. Cond. area sq. mm	Solid Cond.	Stranded Cond.
1.00		1453.00
1.50	1741.00	1877.00
2.50	3013.00	3188.00
4.00	4593.00	4827.00
6.00	6981.00	7346.00
10.00	11351.00	11868.00
16.00		19041.00
25.00		30061.00
35.00		37664.00
50.00		51973.00

PLAZA TWIN FLATE - SHEATHED (Per Coil 90 Mtrs.)

HSN CODE : 8544

No of Wires & / Dia (mm)	Cond. const. (No./ Dia.mm)	Rate (Rs.)/ Coil
1/1.14	1/18	3023.00
3/0.66	3/22	3150.00
3/0.80	3/20	3788.00
7/0.68	7/22	6242.00
7/0.86	7/20	9541.00

PLAZA COMPUTER LAN NETWORK CABLE

(Electrolytic grade solid annealed bare copper conductor, 4 Pair unshielded twisted pair (UTP) Industrial cables for LAN Network).

HSN CODE : 8544

Item / Type Screen	List Price per 305 mtrs.
UTP Cat 5e Computer Lan Cable	4436.00
UTP Cat 6 Computer Lan Cable	7893.00

PLAZA CCTV CAMERA CABLE

(ATC Conductor (flexible), PVC insulated, With RG- 59 co-axial cable (Electrolytic solid annealed Cu. Conductor, JF, AL. Foiled and AL. wire braided), PVC Outer sheathed Industrial CCTV camera cable.

HSN CODE : 8544

Item / Type Screen	List Price per 90 mtrs.	List Price per 180 mtrs.
CCTV 3+1 Cables	1818.00	3635.00
CCTV 4+1 Cables	2076.00	4153.00

PLAZA SPEAKER CABLE

(Plaza transparent FR PVC insulated, twin core copper conductor (Flexible) Industrial Speaker cable).

HSN CODE : 8544

Item / Type Screen	List Price per 100 mtrs.
Speaker 2x1.0 Sqmm IND. Cable	2964.00
Speaker 2x1.5 Sqmm IND. Cable	4532.00
Speaker 2x2.0 Sqmm IND. Cable	5710.00

TERMS & CONDITIONS :

1. The above rates are ex-godown Delhi • 2. The price are exclusive of GST to be charge extra as applicable. • 3. Terms of payment are Cheque / DD against delivery of documents through Bank. • 4. The above rates are subject to change without any prior notice. • 5. No. risk is accepted for loss or damages to goods in transit. • 6. This supercedes all previous Price Lists. • 7. Disputes if any is subject to Delhi / New Delhi Jurisdiction.



Note : As per international practice which is also adopted by BIS, The number and diameter of conductor strands are for reference only. Conductor resistance as per IS:8130 is the governing criteria.

CE | FIA | ERDA | STH | CPRI | NTH | MSME | TAC

Branch Office:

Dehradun - HCL Compound, Niranjapur, Near Saharanpur Road, Dehradun. Phone: 0135-2727958 **Ghaziabad** - III M/R 28A, Near Kalka, Garhi Chowk, Nehru Nagar, Ghaziabad-201001. Phone: 0120-4146890, 0120-4101480

Guwahati - Narmada Building, Room No. 407, 4th Floor, K.C. Raod, Chatribasi - Guwahati - 781008. Mobile : +91-9435707862 **Indore** - 122,shastri Market (M.P.) M:- +91-9630009129 **Jaipur** - 440, Ganpati Plaza, M.I. Road, Jaipur - 203001 (Raj.). M.:+91-9928008078 **Kolkata** - 18 Rabindra Sarani, Podder Court, Gate no.- 02, 6th Floor, Room - 36 Kolkata- 700001, Phone 033-40623116. **Kerala** - No-33/2081A & A1, J.J Building, Near Dig Lane, Elammakara, P.O. Kochi, M.: +91-9747555449 **Lucknow** - 207 B, Saran Chamber-2 lind Floor, 5 Park Road, Lucknow, Pin- 226001 Ph. 0522-4300867 **Mumbai** - Room No. 11, Grd Floor 289/293, Sopariwala House, Shamaldas Gandhi Marg, Marin Link Kalbadevi, Mumbai - 400002. Phone: 022-40047083, Telefax: +91-22-22077970, Email: mumbai@plazacables.com **Punjab** - 234, Behind Mayur Restaurant, Pabhat Village, Zirakpur, Distt. Patiala. M.: +91-9872490606 Ph: 0172-4635216

Patna - Jagtarini Apartment, Jamal Road, Patna, Bihar, M.: +91-9507250675

Representative In :

Agra - Ahmedabad - Bhopal - Chandigarh - Faridabad - Goa - Himachal - Nagpur - Odisha - Raipur - Siliguri

Head Office : A-74, Okhla Industrial Area, Phase-II, New Delhi-110020

Ph.: 011-66369666 (30 Lines), Toll Free No.: 1800 3000 5331, E-mail : feedback@plazacables.com, www.plazacables.com

Work : 923/56, Village Katha, Baddi, Distt. Solan (H.P.)

